



# HORTUS BOTANICUS

Международный электронный журнал ботанических садов

13 / 2018



Информационно-аналитический центр Совета ботанических садов России  
при Ботаническом саде Петрозаводского государственного университета

## HORTUS BOTANICUS

Международный электронный журнал ботанических садов

**13 / 2018**

ISSN 1994-3849

Эл № ФС 77-33059 от 11.09.2008

---

**Главный редактор**

А. А. Прохоров

**Редакционный совет**

П. Вайс Джексон  
Лей Ши  
Йонг-Шик Ким  
А. С. Демидов  
Т. С. Мамедов  
В. Н. Решетников

**Редакционная коллегия**

Г. С. Антипина  
Е. М. Арнаутова  
А. В. Бобров  
Ю. К. Виноградова  
Е. В. Голосова  
В. Я. Кузеванов  
Е. Ф. Марковская  
Ю. В. Наумцев  
Е. В. Спиридович  
К. Г. Ткаченко  
А. И. Шмаков

**Редакция**

Е. А. Платонова  
С. М. Кузьменкова  
К. О. Романова  
А. Г. Марахтанов

**Адрес редакции**

185910, Республика Карелия, г. Петрозаводск, ул. Красноармейская, 31, каб. 12.

E-mail:[hortbot@gmail.com](mailto:hortbot@gmail.com)

<http://hb.karelia.ru>

© 2001 - 2018 А. А. Прохоров

**На обложке:**

Гунибская экспериментальная база Горного ботанического сада Дагестанского НЦ РАН  
(фото Руслана Османова)

**Разработка и техническая поддержка**

Отдел объединенной редакции научных журналов ПетрГУ, РЦ НИТ ПетрГУ,  
Ботанический сад ПетрГУ

Петрозаводск

2018

## Список семян Ботанического сада УрО РАН

<b>КИСЕЛЕВА</b> Ольга Анатольевна	Ботанический сад УрО РАН, kiselevaolga@inbox.ru
<b>СЕМКИНА</b> Лидия Александровна	Ботанический сад УрО РАН, lidia.semkina@botgard.uran.ru
<b>КОЖЕВНИКОВ</b> Алексей Петрович	Ботанический сад УрО РАН, kozhevnikova_gal@mail.ru
<b>ГОЛИКОВ</b> Дмитрий Юрьевич	Ботанический сад УрО РАН, mit2704@gmail.com
<b>ДОРОФЕЕВА</b> Людмила Михайловна	Ботанический сад УрО РАН, ludmila.dorofeeva@botgard.uran.ru
<b>ВАСФИЛОВА</b> Евгения Самуиловна	Ботанический сад УрО РАН, euvas@mail.ru
<b>НЕУЙМИНА</b> Наталья Вячеславовна	Ботанический сад УрО РАН, natalyaneuimina@mail.ru
<b>ШАРОВА</b> Елена Александровна	Ботанический сад УрО РАН, kosheelena@yandex.ru
<b>КНЯЗЕВ</b> Михаил Сергеевич	Ботанический сад УрО РАН, knyasev_botgard@mail.ru
<b>ЗАВЬЯЛОВА</b> Марина Борисовна	Ботанический сад УрО РАН, zavylova-marina@mail.ru
<b>ВОРОБЬЕВА</b> Татьяна Андреевна	Ботанический сад УрО РАН, aroma.botsad@mail.ru
<b>ПЕРВУШИНА</b> Ольга Аркадьевна	Ботанический сад УрО РАН, common@botgard.uran.ru

**Ключевые слова:**

in situ, ex situ, список семян,  
Index seminum, in situ, ex situ,  
список семян, генетические  
ресурсы

**Аннотация:** В списке приводится перечень семян  
растений, культивируемых в открытом грунте и  
оранжереях Ботанического сада УрО РАН, а также  
собранных в природе.

**Получена:** 11 марта 2018 года

**Подписана к печати:** 10 июня 2018 года

\*

The Botanical Garden of the Ural Branch of the Russian Academy of Sciences was founded in 1936 under the protection of Sverdlov City Council. Since 1945 it became a member of the Academy of Sciences of the USSR and in 1998 became an independent Institute of the Ural Department. The Botanical Garden of the Ural Branch of the Russian Academy of Sciences is the largest regional center of plant introduction, applied botany, plant taxonomy, forest ecosystems and nature protection.

The basic directions of fundamental researches: 1. Working out scientific and theoretical foundation of plants introduction. 2. Studying biological diversity of the Ural plants, intraspecific variability, monographical studying of individual taxons. 3. Protecting the genofond of rare and disappearing plants species. Scientific work is carried out also in the following areas: 1. The population plant ecology,

ecological and geographical laws of the structure and phenogenetic differentiation of populations. 2. The laws of structural organizing and functioning of forest communities, the theoretical aspects of forestry. 3. The scientific basis for creating nature-protected infrastructure of territories under the conditions of anthropogenic influence. 4. Ecology-economic problems of nature using. 5. Forest knowledge problems.

The Botanical Garden implements the Program of fundamental researches that have been carried out by the Department of General Biology of the Russian Academy of Sciences. It directs the activities within the framework of the Botanical Gardens Council of the Ural and Volga regions in order to develop the researches in introduction of plants and nature protection in the Urals. It also directs the activities of Nature Protection Commission of the Ural Branch of the Russian Academy of Sciences. Combined researches with foreign scientific institutions are also being carried out. In order to achieve the outlined aims at the Botanical Garden, 11 scientific subdivisions, a botanical museum and a reserve have been organised.

The Botanical Garden occupies the area of approximately 50 ha in the urban limits. Climatic Data. Temperature - mean annual: + 4°; absolute maximum: +31,2°; absolute minimum: — 34,2. Precipitation: 497 mm.

There are the following main expositions and basic scientific collections on its territory: 1. Arboretum (10 ha, 850 taxons) founded in 1959. 2. Ornamental perennial plants (about 700 taxons). The plot of these plants was founded in 1950. 3. Rare and disappearing plants of the Urals (about 100 taxons). 4. Subtropical and tropical plants (greenhouse complex) — about 2000 taxons collected since 1948. 5. Selective areas (willows, poplars, birches, maples and others). 6. Medical plants (about 480 taxons). 7. Climbing plants. On the territory of the Botanical Garden there is also a reserve — pine forest, which is approximately 160-170 years old. The collections are used for researches and as a source of genofond valuable species.

The theoretical elaborations of the Botanical Garden are widely applied in nature protection activities and practical forestry. They serve as a foundation for creation the system of genetic reserves in order to preserve valuable forest genofond and form a structure of specially protected territories in Russia. Recently, important aspects of population ecology and population genetics of Pinaceae and Orchidaceae families have been worked out here; the researches of plant taxonomy, biodiversity and forestry have got a further development. The most important goal of the the Botanical Garden is implementation of educational programmes in ecology, botany and nature protection for the wide strata of the Ural population.

Scientific work is supported by Program of fundamental scientific research of state academies of sciences № AAAA-A17-117072810010-4.

\*\*

## **SEMINA ET SPORAE PLANTARUM**

## **IN HORTO BOTANICO CULTARUM**

**(Semina annorum 2017)**

### **SEMINA PLANTARUM HERBACEARUM**

#### **POLYPODIOPHYTA**

##### **Athyriaceae**

*Athyrium filix-femina* (L.) Roth

##### **Onocleaceae**

*Matteuccia struthiopteris* (L.) Tod.

#### **ANGIOSPERMS**

##### **Amaranthaceae**

*Bassia scoparia* (L.) A.J.Scott

##### **Amaryllidaceae**

- Allium aflatunense* B. Fedtsch.  
*Allium altaicum* Pall.  
*Allium barszczewskii* Lipsky  
*Allium carinatum* L.  
*Allium carolinianum* DC.  
*Allium cyathophorum* var. *farreri* (Stearn) Stearn  
*Allium cyrillii* Ten.  
*Allium caeruleum* Pall.  
*Allium decipiens* Fisch. ex Schult. & Schult.f.  
*Allium hymenorhizum* Ledeb.  
*Allium ledebourianum* Schult. & Schult.f.  
*Allium nutans* L.  
*Allium obliquum* L.  
*Allium ramosum* L.  
*Allium oliganthum* Kar. et Kir.  
*Allium pskemense* B. Fedtsch  
*Allium scorodoprasum* L.  
*Allium strictum* Schrad.  
*Allium turkestanicum* Regel  
*Allium victorialis* L.
- Apiaceae**
- Bupleurum aureum* Fisch. ex Hoffm.  
*Levisticum officinale* W.D.J. Koch  
*Myrrhis odorata* (L.) Scop.  
*Pastinaca sativa* L.
- Asparagaceae**
- Asparagus officinalis* L.  
*Hosta plantaginea* (Lam.) Asch.
- Brassicaceae**
- Arabis pumila* Jacq.  
*Draba glacialis* Adams  
*Hesperis matronalis* L.
- Campanulaceae**
- Campanula carpatica* Jacq.

*Campanula glomerata* L.

*Campanula persicifolia* L.

*Campanula rapunculoides* L.

*Campanula trachelium* L.

**Caprifoliaceae**

*Succisa pratensis* Moench

**Caryophyllaceae**

*Dianthus andrzejowskianus* Kulcz.

*Dianthus barbatus* L.

*Dianthus deltoides* L.

*Dianthus giganteiformis* ssp. *pontederae* (A.Kern.) Soo

*Dianthus gratianopolitanus* Vill.

*Dianthus knappii* (Pant.) Asch. & Kanitz ex Borbas

*Gypsophila paniculata* L.

*Lychnis haageana* Baily

*Saponaria officinalis* L.

*Silene chalcedonica* (L.) E.H.L.Krause

*Silene coronaria* (Desr.) Clairv. ex Rchb.

**Commelinaceae**

*Tradescantia longipes* E.S.Anderson & Woodson

**Compositae**

*Arnica chamissonis* Less.

*Aster alpinus* L.

*Bellis perennis* L.

*Cacalia hastata* L.

*Calendula officinalis* L.

*Carduus nutans* L.

*Centaurea macrocephala* Muss. Puschk. ex Willd.

*Cyanus montanus* (L.) Hill

*Echinacea pallida* (Nutt.) Nutt.

*Echinacea purpurea* (L.) Moench

*Echinops sphaerocephalus* L.

*Gaillardia × grandiflora* Hort. ex Van Houtte

*Helichrysum arenarium* (L.) Moench

- Leucanthemum maximum* (Ramond) DC.  
*Liatris spicata* (L.) Willd.  
*Liatris spicata* (L.) Willd. f. alba  
*Ligularia dentata* (A.Gray) Hara  
*Ligularia fischeri* (Ledeb.) Turcz.  
*Ligularia palmatifida* (Siebold & Zucc.) Nakai  
*Ligularia przewalskii* (Maxim.) Diels  
*Ligularia stenocephala* (Maxim.) Matsum. & Koidz.  
*Ligularia wilsoniana* (Hemsl.) Greenm.  
*Matricaria chamomilla* L.  
*Pyrethrum corymbosum* (L.) Scop.  
*Rhaponticum carthamoides* (Willd.) Iljin  
*Serratula coronata* L.  
*Serratula tinctoria* L.  
*Silybum marianum* (L.) Gaertn.  
*Solidago canadensis* L.  
*Symphytum novi-belgii* (L.) G.L. Nesom 'White Ladies'  
*Tanacetum balsamitoides* Sch.Bip.  
*Tanacetum coccineum* (Willd.) Grierson  
*Tanacetum parthenifolium* (Willd.) Sch.Bip.
- Crassulaceae**
- Hylotelephium spectabile* (Bureau) H. Ohba  
*Sedum aizoon* L.  
*Sedum kamtschaticum* Fisch.  
*Sedum maximum* ssp. *ruprechtii* (Jalas) Soo  
*Sedum spurium* M.Bieb.  
*Sempervivum tectorum* L.
- Gentianaceae**
- Gentiana lutea* L.
- Geraniaceae**
- Geranium sanguineum* L.
- Hypericaceae**
- Hypericum ascyron* L.  
*Hypericum ascyron* ssp. *gebleri* (Ledeb.) N.Robson

*Hypericum maculatum* Crantz

*Hypericum perforatum* L.

**Iridaceae**

*Iris sibirica* L. 'Blau'

*Iris sibirica* L. 'Flight of butterflies'

**Lamiaceae**

*Agastache foeniculum* (Pursh) Kuntze

*Dracocephalum imberbe* Bunge

*Elsholtzia ciliata* (Thunb.) Hyl.

*Monarda bradburiana* Beck

*Monarda didyma* L. 'Cambridge scarlet'

*Monarda russeliana* Nutt.

*Nepeta laevigata* (D.Don) Hand.-Mazz.

*Nepeta manchuriensis* S. Moore.

*Nepeta nuda* L.

*Nepeta parnassica* Heldr. & Sart.

*Nepeta podostachys* Benth.

*Nepeta racemosa* Lam.

*Nepeta sibirica* L.

*Nepeta spruneri* Boiss.

*Nepeta ucrainica* L.

*Origanum vulgare* L.

*Phlomoides tuberosa* (L.) Moench

*Prunella grandiflora* (L.) Scholler 'Pagoda'

*Prunella vulgaris* L.

*Salvia austriaca* Jacq.

*Salvia canescens* var. *daghestanica* (Sosn.) Menitsky

*Salvia nemorosa* L.

*Salvia sclarea* L.

*Salvia tesquicola* Klok. & Pobed.

*Salvia verticillata* L.

*Thymus camphoratus* Hoffmanns et Link.

*Thymus pulegioides* ssp. *pannonicus* (All.) Kerguelen

**Leguminosae**

*Astragalus glycyphyllos* L.

*Caragana frutex* (L.) K.Koch

*Lathyrus rotundifolius* Willd.

*Thermopsis lanceolata* R. Br.

*Trigonella caerulea* (L.) Ser.

*Trigonella foenum-graecum* L.

#### **Linaceae**

*Linum alpinum* Jacq. 'Rubra'

#### **Liliaceae**

*Lilium martagon* L.

#### **Lythraceae**

*Lythrum salicaria* L.

#### **Malvaceae**

*Lavatera thuringiaca* L.

*Malva alcea* L.

#### **Paeoniaceae**

*Paeonia anomala* L.

*Paeonia lactiflora* Pall.

#### **Papaveraceae**

*Fumaria officinalis* L.

*Papaver bracteatum* Lindl.

*Papaver orientale* L.

*Papaver rhoeas* L.

#### **Phytolaccaceae**

*Phytolacca americana* L.

#### **Plantaginaceae**

*Digitalis grandiflora* Mill.

*Veronica spicata* L.

*Veronica longifolia* L.

*Veronicastrum virginicum* (L.) Farw.

#### **Plumbaginaceae**

*Armeria maritima* (Mill.) Willd.

#### **Poaceae**

*Festuca pallens* Host

*Leymus arenarius* (L.) Hochst.

*Melica altissima* L. 'Atropurpurea'

*Phalaris arundinacea* L. 'Variegata'

### **Polygonaceae**

*Rheum rhabarbarum* L.

*Rumex sanguineus* L.

### **Primulaceae**

*Lysimachia punctata* L. 'Alexandr Gold'

*Primula scandinavica* Brunn

*Primula stricta* Hornem.

*Primula veris* ssp. *macrocalyx* (Bunge) Lüdi

### **Ranunculaceae**

*Aconitum napellus* L.

*Aconitum septentrionale* Koelle

*Anemone dichotoma* L.

*Aquilegia vulgaris* L. 'Purple terry'

*Aquilegia vulgaris* L. 'Terry red-white'

*Aquilegia vulgaris* L. 'White'

*Delphinium elatum* L.

*Delphinium x cultorum* Voss 'Neapol'

*Thalictrum delavayi* Franch.

*Trollius asiaticus* L.

*Trollius ledebourii* Rchb.

### **Rosaceae**

*Aruncus dioicus* (Walter) Fernald

*Drymocallis rupestris* (L.) Soják

*Filipendula ulmaria* (L.) Maxim. f. variegata

*Filipendula ulmaria* ssp. *picbaueri* (Podp.) Smejkal

*Geum aleppicum* Jacq.

*Geum bulgaricum* Pančić

*Geum rivale* L.

*Potentilla atrosanguinea* G.Lodd. ex D.Don

*Potentilla nepalensis* Hook.

*Sanguisorba officinalis* L. 'Pink Tanna'

**Rutaceae**

*Dictamnus albus* L.

**Saxifragaceae**

*Bergenia crassifolia* (L.) Fritsch

*Heuchera chlorantha* Piper

**Scrophulariaceae**

*Scrophularia nodosa* L.

*Verbascum nigrum* L.

**Solanaceae**

*Capsicum annuum* L.

*Hyoscyamus niger* L.

**Xanthorrhoeaceae**

*Hemerocallis middendorffii* Trautv. & C.A.Mey.

**PLANTAE LIGNOSAE****GYMNOSPERMS****Cupressaceae**

*Juniperus sabina* L.

*Thuja occidentalis* L. 'Lutea'

*Thuja occidentalis* L. 'Woodwardii'

**Pinaceae**

*Abies balsamea* (L.) Mill.

*Abies fraserii* (Pursh) Poir.

*Abies sibirica* Ledeb.

*Abies veitchii* Lindl.

*Keteleeria davidiana* (C.E.Bertrand) Beissn.

*Larix sibirica* Ledeb.

*Picea jezoensis* (Siebold & Zucc.) Carrière

*Picea omorika* (Pančić) Purk.

*Picea pungens* Engelm.

*Picea rubens* Sarg.

*Pinus strobus* L.

*Pseudotsuga menziesii* (Mirb.) Franco

*Tsuga canadensis* (L.) Carrière

**ANGIOSPERMS**

**Anacardiaceae**

*Cotinus coggygria* Scop.

**Araliaceae**

*Aralia cordata* var. *sachalinensis* (Regel) Nakai

**Berberidaceae**

*Berberis amurensis* Rupr.

*Berberis canadensis* Mill.

*Berberis koreana* Palib.

*Berberis oblonga* (Regel) C.K.Schneid.

*Berberis sieboldii* Miq.

*Berberis thunbergii* DC.

*Berberis thunbergii* var. *maximowiczii* Regel

*Berberis vernae* C.K.Schneid.

*Berberis vulgaris* L. 'Atropurpurea'

*Berberis × emarginata* Willd.

**Betulaceae**

*Betula ermanii* Cham.

*Betula ovalifolia* Rupr.

*Betula pendula* Roth. 'Dalecarlica'

*Ostrya virginiana* (Mill.) K.Koch

**Caprifoliaceae**

*Lonicera alpigena* L.

*Lonicera caerulea* L.

*Lonicera caerulea* ssp. *altaica* (Pall.) Gladkova

*Lonicera ferdinandii* Franch.

*Lonicera glehnii* F. Schmidt

*Lonicera involucrata* (Richardson) Banks ex Spreng.

*Lonicera involucrata* var. *ledebourii* (Eschsch.) Jeps.

*Lonicera maackii* (Rupr.) Maxim.

*Lonicera nigra* L.

*Lonicera orientalis* Lam.

*Lonicera prolifera* (Kirchner) Booth ex Rehder

*Lonicera ruprechtiana* Regel

*Lonicera tatarica* L.

*Symporicarpos albus* (L.) S.F.Blake

*Weigela middendorfiana* Carrière

*Weigela praecox* (Lemoine) Bailey

#### **Adoxaceae**

*Sambucus racemosa* L.

*Viburnum lantana* L.

*Viburnum opulus* L.

#### **Celastraceae**

*Euonymus alatus* (Thunb.) Siebold

*Euonymus europaeus* L.

*Euonymus macropterus* Rupr.

*Euonymus nanus* M.Bieb.

#### **Cornaceae**

*Cornus alba* L.

*Cornus alba* L. 'Argenteamarginata'

#### **Ericaceae**

*Pieris floribunda* Benth. et Hook. f.

*Rhododendron fauriei* Franch.

*Rhododendron canadense* (L.) Torr.

*Rhododendron canadense* (L.) Torr. 'Alba'

*Rhododendron catawbiense* Michx.

*Rhododendron ferrugineum* L.

*Rhododendron japonicum* (Blume) C.K.Schneid.

*Rhododendron ledebourii* Pojark.

*Rhododendron maximum* L.

*Rhododendron schlippenbachii* Maxim.

*Rhododendron smirnowii* Trautv.

*Rhododendron yakushimanum* Nakai

#### **Hydrangeaceae**

*Hydrangea bretschneideri* Dippel

*Philadelphus coronarius* L.

*Philadelphus coronarius* L. 'Aureus'

*Philadelphus gordonianus* Lindl.

*Philadelphus grandiflorus* Wild.

*Philadelphus henryi* Koehne

*Philadelphus incanus* Koehne

*Philadelphus pubescens* Loisel.

*Philadelphus satsumanus* Miq.

*Philadelphus schrenkii* Rupr.

*Philadelphus subcanus* var. *magdalenae* (Koehne) S.Y. Hu

*Philadelphus x monstrosus* (Spaeth) Schelle

### **Juglandaceae**

*Juglans mandshurica* Maxim.

### **Menispermaceae**

*Menispermum canadense* L.

### **Oleaceae**

*Forsythia ovata* Nakai

*Fraxinus chinensis* ssp. *rhynchophylla* (Hance) A.E.Murray

*Fraxinus pennsylvanica* Marshall

*Syringa pubescens* ssp. *patula* (Palib.) M.C.Chang & X.L.Chen

*Syringa reticulata* ssp. *amurensis* (Rupr.) P.S.Green & M.C.Chang

*Syringa tomentella* Bureau & Franch.

*Syringa villosa* Vahl

*Syringa vulgaris* L.

### **Ranunculaceae**

*Clematis alpina* ssp. *sibirica* (L.) Kuntze

*Clematis 'Hanajima'*

*Clematis flammula* L.

*Clematis fusca* Turcz.

*Clematis fusca* Turcz. 'Coreana'

*Clematis hexapetala* Pall.

*Clematis ianthina* Koehne

*Clematis integrifolia* L.

*Clematis integrifolia* L. f. *alba*

*Clematis macropetala* Ledeb. 'Rosy O' Grandy'

*Clematis mandschurica* Max.

*Clematis tangutica* (Maxim.) Korsh.

*Clematis terniflora* var. *manschurica* (Rupr.) Ohwi

*Clematis viticella* L.

**Rosaceae**

*Chaenomeles japonica* (Thunb.) Lindl. Ex Spach

*Cotoneaster lucidus* Schlehd.

*Crataegus ambigua* C.A.Mey. ex A.K.Becher

*Crataegus aprica* Beadle

*Crataegus arnoldiana* Sarg.

*Crataegus basilica* Beadle

*Crataegus columbiana* Howell

*Crataegus dahurica* Koehne ex C.K.Schneid.

*Crataegus faxonii* Sarg.

*Crataegus flabellata* (Bosc ex Spach) K.Koch

*Crataegus hissarica* Pojark.

*Crataegus holmesiana* Ashe

*Crataegus horrida* Medik.

*Crataegus irrasa* Sarg.

*Crataegus keepii* Sarg.

*Crataegus laurentiana* var. *brunetiana* (Sarg.) Kruschke

*Crataegus lucorum* Sarg.

*Crataegus macracantha* Lodd. ex Loudon

*Crataegus monogyna* Jacq.

*Crataegus pedicellata* Sarg.

*Crataegus persimilis* Sarg.

*Crataegus pinnatifida* Bunge

*Crataegus rhipidophylla* Gand.

*Crataegus songarica* K.Koch

*Crataegus submollis* Sarg.

*Crataegus succulenta* Schrad. ex Link

*Malus baccata* (L.) Borkh.

*Malus niedzwetzkyana* Dieck ex Koehne

*Padus pensylvanica* (L.f.) S.Ya.Sokolov

*Physocarpus opulifolius* (L.) Maxim. 'Diabolo'

*Physocarpus opulifolius* (L.) Maxim. 'Luteus Dippel'

*Prinsepia sinensis* (Oliv.) Oliv. ex Bean

- Pyrus ussuriensis* Maxim. ex Rupr.  
*Rosa acicularis* Lindl.  
*Rosa blanda* Aiton  
*Rosa caesia* Sm.  
*Rosa davurica* Pall.  
*Rosa glabrifolia* C.A.Mey. ex Rupr.  
*Rosa glauca* Pourr.  
*Rosa laxa* Retz.  
*Rosa macrophylla* Lindl.  
*Rosa moyesii* Hemsl. & E.H.Wilson  
*Rosa nitida* Willd.  
*Rosa oxyodon* Boiss.  
*Rosa rugosa* Thunb.  
*Rosa sjunikii* Jarosch.  
*Rosa tomentosa* Sm.  
*Rosa villosa* L.  
*Rosa xanthina* Lindl.  
*Sibiraea laevigata* (L.) Maxim.  
*Sorbaria sorbifolia* (L.) A.Braun.  
*Sorbus alnifolia* (Siebold & Zucc.) K.Koch  
*Spiraea × bumalda* Burv.  
*Spiraea × bumalda* Burv. 'Little Princess'  
*Spiraea × margaritae* Zabel  
*Spiraea × semperflorens* hort.  
*Spiraea alba* Du Roi  
*Spiraea alpina* Pall.  
*Spiraea bella* Sims  
*Spiraea betulifolia* Pall.  
*Spiraea betulifolia* var. *corymbosa* (Raf.) Maxim.  
*Spiraea canescens* D.Don.  
*Spiraea chamaedryfolia* L.  
*Spiraea douglasii* ssp. *menziesii* (Hook.) Calder & R.L.Taylor  
*Spiraea japonica* L.f.  
*Spiraea nipponica* Maxim.

*Spiraea rosthornii* E.Pritz.

*Spiraea salicifolia* L.

*Spiraea sargentiana* Rehder

*Spiraea trichocarpa* Nakai

*Spiraea trilobata* L.

### **Sapindaceae**

*Acer campestre* L.

*Acer tataricum* ssp. *ginnala* (Maxim.) Wesm.

*Acer platanoides* L.

*Acer tataricum* ssp. *semenovii* (Regel & Herder) A.E.Murray

*Acer tataricum* L.

*Acer tegmentosum* Maxim.

### **Schisandraceae**

*Schisandra chinensis* (Turcz.) Baill.

### **Vitaceae**

*Parthenocissus quinquefolia* (L.) Planch.

## **SEMINA PLANTARUM IN CALDARIIS CULTARUM**

### **PTERIDOPHYTES**

#### **Aspleniaceae**

*Asplenium bulbiferum* G.Forst.

*Asplenium nidus* L.

#### **Blechnaceae**

*Blechnum brasiliense* Desv.

#### **Culcitaceae**

*Culcita macrocarpa* C.Presl.

#### **Cyatheaceae**

*Sphaeropteris cooperi* (F. Muell.) R.M. Tryon

#### **Dicksoniaceae**

*Dicksonia sellowiana* Hook.

#### **Dryopteridaceae**

*Cyrtomium falcatum* (L.f.) C. Presl

*Cyrtomium falcatum* (L.f.) C. Presl 'Rochefordianum'

*Polystichum setiferum* (Forssk.) Moore ex Woyn.

#### **Polypodiaceae**

*Drynaria quercifolia* (L.) J. Sm.

*Phlebodium aureum* (L.) J. Sm. 'Glaucum'

*Pyrrosia angustata* (Sw.) Ching

#### **Pteridaceae**

*Adiantum capillus-veneris* L.

*Adiantum caudatum* L.

*Adiantum gracillimum* T. Moore

*Adiantum hispidulum* Sw.

*Adiantum hispidulum* Sw. 'Bronze Venus'

*Adiantum raddianum* C. Presl 'Fritz-Luthii'

*Adiantum trapeziforme* L.

*Pellaea calomelanos* (Sw.) Link

*Phymatosorus scolopendria* (Burm. f.) Pic. Serm. 'Green Wave'

*Pteris cretica* L. 'Albo-lineata'

*Pteris cretica* L. 'Wimsetii'

*Pteris multifida* Poir.

#### **Thelypteridaceae**

*Macrothelypteris torresiana* (Gaudich.) Ching

#### **ANGIOSPERMS**

##### **Aizoaceae**

*Mestoklema tuberosum* (L.) N.E. Br.

##### **Anacampserotaceae**

*Anacampseros rufescens* (Haw.) Sweet

##### **Apocynaceae**

*Alyxia buxifolia* R.Br.

##### **Asparagaceae**

*Agave vera-cruz* Mill.

*Bowiea volubilis* Harv.

##### **Cactaceae**

*Mammillaria columbiana* Salm-Dyck

*Mammillaria prolifera* (Mill.) Haw.

*Mammillaria prolifera* ssp. *multiceps* (Salm-Dyck) U. Guzman

*Rhipsalis baccifera* (J.S.Muell.) Stearn

##### **Iridaceae**

*Freesia laxa* (Thunb.) Goldblatt & J.C.Manning

**Lythraceae**

*Punica granatum* L. 'Nana'

**Moraceae**

*Dorstenia hildebrandtii* Engl.

**Myrtaceae**

*Psidium guajava* L.

**Rutaceae**

*Murraya paniculata* (L.) Jack

**Zingiberaceae**

*Hedychium horsfieldii* R.Br. ex Wall.

**SEMINA PLANTARUM SPONTANEARUM IN LOCO NATALI**

Chelyabinsk region, Miass neighborhood, stepped slope

54°53'48,2"N, 59°58'51,2"E, 362 m above sea level 22.08.17

**Apiaceae**

*Seseli ledebourii* D. Don

**Caryophyllaceae**

*Gypsophila altissima* L.

*Silene amoena* L.

*Silene wolgensis* (Hornem.) Otth

**Compositae**

*Aster amellus* L.

*Inula hirta* L.

**Lamiaceae**

*Dracocephalum ruyschiana* L.

**Leguminosae**

*Lathyrus pisiformis* L.

*Medicago falcata* L.

*Onobrychis arenaria* ssp. *sibirica* (Besser) P.W.Ball

*Oxytropis baschkiriensis* ssp. *skvortsovii* Knjasev

**Orobanchaceae**

*Melampyrum cristatum* Hablitz ex Steud.

**Poaceae**

*Helictotrichon hookeri* (Scribn.) Henrard

Republic of Bashkortostan, near. Kuramino, forest-steppe 54°39'30"N, 59°48'152"E, 423 m above sea level 23.08.17

**Compositae**

*Inula aspera* Poir.

**Leguminosae**

*Lathyrus pisiformis* L.

*Lathyrus pratensis* L.

Chelyabinsk region, near. Red Yar, sodic soil near the way 52°59'29.4"N, 60°30'37.9"E, 323 m above sea level 23.08.17

**Caryophyllaceae**

*Dianthus borbasii* Vandas

**Compositae**

*Scorzonera parviflora* Jacq.

*Taraxacum bessarabicum* (Hornem.) Hand.-Mazz

**Lamiaceae**

*Phlomoides tuberosa* ssp. *desertorum* (P. Smirn.) Kulikov comb. et staf. Nov.

**Leguminosae**

*Glycyrrhiza uralensis* Fisch.

*Melilotus dentatus* (Waldst. & Kit.) Pers.

**Plantaginaceae**

*Plantago cornuti* Gouan

*Plantago maritima* ssp. *ciliata* Printz

Chelyabinsk region, Kartalinsky district, sodic soil steppe, banks of the river. Dry. 52°56'25.1"N, 60°39'49.4"E, 287 m above sea level 24.08.2017

**Compositae**

*Centaurea chartolepis* Greuter

*Rhaponticum serratuloides* (Georgi) Bobrov.

**Lamiaceae**

*Leonurus glaucescens* Bunge

**Linaceae**

*Linum usitatissimum* L.

\*\*\*

**Agreement on the Supply of Living Plant Material <sup>1</sup> for Non-Commercial Use****Purposes of the International Plant Exchange Network**

Against the background of the provisions and decisions of the Convention on Biological Diversity of 1992 (CBD) and in particular those on access to genetic resources and benefit-sharing, the garden is dedicated to promoting conservation, sustainable use, and research of biological diversity. The garden therefore expects its partners in acquiring, maintaining and transferring plant material to always act in accordance with the CBD and the Convention on the International Trade in Endangered Species (CITES).

The responsibility for legal handling of the plant material passes on to the recipient upon receipt of the material. The requested plant material will be supplied to the recipient only under the following conditions:

1. Based on this agreement, the plant material is supplied only for non-commercial use such as scientific study and educational purposes as well as environmental protection. Should the recipient at a later date intend a commercial use or transfer for commercial use, the country of origin's prior informed consent (PIC) must be obtained in writing before the material is used or transferred. The recipient is responsible for ensuring an equitable sharing of benefits.
2. On receiving the plant material, the recipient endeavours to document the received plant material, its origin (country of origin, first receiving garden, "donor" of the plant material, year of collection) as well as the acquisition and transfer conditions in a comprehensible manner.
3. In the event that scientific publications are produced based on the supplied plant material, the recipient is obliged to indicate the origin of the material (supplying garden and the country of origin, if known) and to send these publications to the garden and to the country of origin without request.
4. On request, the garden will forward relevant information on the transfer of the plant material to the body charged with implementing the CDB<sup>2</sup>.
5. The recipient may transfer the received plant material to third parties only under these terms and conditions and must document the transfer in a relevant manner.

---

I accept the above conditions.

---

Date, Signature

---

Recipient's name and address, stamp

<sup>1</sup> According to the CBD „genetic resources“ means genetic material of actual or potential value. This definition covers both living and not living material. The Code of Conduct and the IPEN covers only the exchange of living plant material (living plants or parts of plants, diasporas) thus falling in the definition of genetic resources.

<sup>2</sup> Ideally, the national focal point in the garden's home country

We would like to point out that the offered seeds are the result of open pollination. Please send the desiderata to [seeds@botgard.uran.ru](mailto:seeds@botgard.uran.ru) up to September 15, 2018

Address: Seed curator: Minogina Elena Nikolaevna, Russian Academy of Sciences, Ural Branch: Institute Botanical Garden, st. 8 Marta, 202a, Ekaterinburg, Russia, 62014

### **Desiderata**


### **Литература**

The Plant List (2013). Version 1.1. Published on the Internet; <http://www.theplantlist.org/> (accessed 1st January). URL: <http://www.theplantlist.org/> (28.02.2018).

International Plant Names Index (IPNI). URL:<http://www.ipni.org> (28.02.2018).

Куликов П. В. Определитель сосудистых растений Челябинской области. Екатеринбург: УрО РАН, 2010. 970 с.

## **Index seminum of the Botanical Garden of the Ural branch of the Russian Academy of Sciences**

<b>KISELEVA</b> <b>Olga Anatolevna</b>	Russian Academy of Sciences, Ural Branch: Institute Botanic Garden, kiselevaolga@inbox.ru
<b>SEMKINA</b> <b>Lidia Aleksandrovna</b>	Russian Academy of Sciences, Ural Branch: Institute Botanic Garden, lidia.semkina@botgard.uran.ru
<b>KOZHEVNIKOV</b> <b>Aleksei Petrovich</b>	Russian Academy of Sciences, Ural Branch: Institute Botanic Garden, kozhevnikova_gal@mail.ru
<b>GOLIKOV YUR'EVICH</b> <b>Dmitrij Yurevich</b>	Russian Academy of Sciences, Ural Branch: Institute Botanic Garden, mit2704@gmail.com
<b>DOROFEEVA</b> <b>Lyudmila Mihajlovna</b>	Russian Academy of Sciences, Ural Branch: Institute Botanic Garden, ludmila.dorofeeva@botgard.uran.ru
<b>VASFILOVA</b> <b>Evgeniya Samuilovna</b>	Russian Academy of Sciences, Ural Branch: Institute Botanic Garden, euvas@mail.ru
<b>NEUJMINA</b> <b>Natalya Vyacheslavovna</b>	Russian Academy of Sciences, Ural Branch: Institute Botanic Garden, natalyaneuimina@mail.ru
<b>SHAROVA</b> <b>Elena Aleksandrovna</b>	Russian Academy of Sciences, Ural Branch: Institute Botanic Garden, kosheelena@yandex.ru
<b>KNYAZEV</b> <b>Mihail Sergeevich Sergeevich</b>	Russian Academy of Sciences, Ural Branch: Institute Botanic Garden, knyasev_botgard@mail.ru
<b>ZAVYALOVA</b> <b>Marina Borisovna</b>	Russian Academy of Sciences, Ural Branch: Institute Botanic Garden, zavylova-marina@mail.ru
<b>VOROBEEVA</b> <b>Tatyana Andreevna</b>	Russian Academy of Sciences, Ural Branch: Institute Botanic Garden, aroma.botsad@mail.ru
<b>PERVUSHINA</b> <b>Olga Arkadevna</b>	Russian Academy of Sciences, Ural Branch: Institute Botanic Garden, common@botgard.uran.ru

**Key words:**

in situ, ex situ, seed list, Index  
seminum, in situ, ex situ, seed list,  
genetic resources

**Summary:** The list shows the seeds of plants cultivated in the open ground and greenhouses of the Botanical Garden of the Ural branch of the Russian Academy of Science and of those collected in nature.

**Is received:** 11 march 2018 year

**Is passed for the press:** 10 june 2018 year

---

Цитирование: Киселева О. А., Семкина Л. А., Кожевников А. П., Голиков Д. Ю., Дорофеева Л. М., Васфилова Е. С., Неуймина Н. В., Шарова Е. А., Князев М. С., Завьялова М. Б., Воробьева Т. А., Первушина О. А. Список семян Ботанического сада УрО РАН // Hortus bot. 2018. Т. 13, 2018, стр. 553 - 573, URL: <http://hb.karelia.ru/journal/article.php?id=5222>. DOI: [10.15393/j4.art.2018.5222](https://doi.org/10.15393/j4.art.2018.5222)

Cited as: Kiseleva O. A., Semkina L. A., Kozhevnikov A. P., Golikov YUr'evich D. Y., Dorofeeva L. M., Vasfilova E. S., Neujmina N. V., Sharova E. A., Knyazev M. S., Zavyalova M. B., Vorobeva T. A., Pervushina O. A. (2018). Index seminum of the Botanical Garden of the Ural branch of the Russian Academy of Sciences // Hortus bot. 13, 553 - 573. URL: <http://hb.karelia.ru/journal/article.php?id=5222>